



WOOLY



www.quick-clean.info

Sestava Composition Sirovinski sastav Zusammensetzung Composizione	100% Poliester 100% Polyester 100% Poliester 100% Polyester 100% Poliestere	Širina Width Širina Breite Altezza	140 cm ± 2%	Teža Weight Težina Gewicht Peso	440 g/m² ± 5%
--	---	--	--------------------	---	---------------------------------

TEST	STANDARD	REZULTATI / RESULTS / REZULTATI / ERGEBNISE / RISULTATI	
		Osnova / Warp / Osnova / Kette / Ordito	Votek / Weft / Potka / Schuss / Trama
Raztezna trdnost Tensile strength Čvrstoća na rastezanje Zugfestigkeit Resistenza alla trazione	EN ISO 13934-1	781 N	1183 N
Raztržna trdnost Tear growth strenght Čvrstoća na kidanje Weiterreissfestigkeit Resistenza alla lacerazione	EN ISO 13937-3	65,2 N	68,7 N
Drsnost niti Resistance to seam slippage Otpornost na pomjeranje / pomeranje šava Nahtschiebewiderstand Resistenza allo scorrimento della cucitura	EN ISO 13936-2 pri / at / kod / bei / a 180 N	1,0 mm	1,3 mm
Obstojnost barve na drgnjenje Colour fastness to rubbing Postojanost boje na trljanje Reibechtheitheit Resistenza del colore all'abrasione	EN ISO 105-X12	Suho / Dry / Suvo / Trocken / Secco 4-5	Mokro / Wet / Mokro / Nass / Umido 3-4
Obstojnost barve na svetlobo Colour fastness to light Postojanost boje na svjetlo/svetlost Lichtechtheit Resistenza del colore alla luce	EN ISO 105-B02	5	
Obstojnost tkanine na drgnjenje Abrasion resistance Postojanost tkanine na trljanje Scheuerbestaendigkeit Resistenza alla lacerazione	EN ISO 12947-2	100.000 obratov / Revs. / obrtaja / Touren / giri	
Piling Piling Resistance Piling Pillbildung Resistenza al pilling	EN ISO 12945-2 2.000 obratov Revs. / obrtaja Touren / giri	4	

Vsebnost AZO barvil Contain of AZO dyes Sadržaj AZO boja AZO Farbstoffe Contenuto di coloranti azoici	§ 64 LFGB 82.02-2,3,4	x
Vsebnost barvil, ki povzročajo alergije Alergy causing dyes Sadržaj boja koje uzrokuju alergije Allergisierende Farbstoffe Contenuto dei coloranti allergenici	DIN 54231:2005	x
Formaldehid Formaldehyde Formaldehid Formaldehyd Formaldeide	EN ISO 14184-1	x
Test negorljivosti Fire Retardant Test negorivosti Flammhemmend Ignifugo	BS 5852 source 0	✓
Zaščita tkanine Fabric protection Zaštita tkanine Stoffschutz Protezione tessuto	QUICK CLEAN	Čiščenje / Nega / Cleaning / Pflege / Pulizia     

Med barvnimi partijami so možna odstopanja. | Colours may vary between batches. | Moguća su odstupanja u boji kod proizvodnje.
Bei Farbpartien sind Farbabweichungen möglich. | Tra diversi lotti di produzione si possono riscontrare differenze cromatiche.